

LABORATOIRE DE TRAPPES 29 avenue Roger Hennequin – 78197 Trappes Cedex Tél.: 01 30 69 10 00 – Fax: 01 30 69 12 34

File J051011 - Document CEMATE/16 Page 1/3

TEST REPORT

Applicant:

ALCAN COMPOSITES

C/O Alcan Airex AG

Industrie Nord

SINS CH-5643

SUISSE

Request date:

Bon pour accord sur devis le 30/06/2008

Subject:

Determination in the material of vinyl chloride

Reference documents:

EC Directive n°2002/72 of 6 August 2002

EC Directive n°2004/1 of 6 January 2004

EC Directive n°2004/19 of 1 March 2004

EC Directive n°2005/79 of 18 November 2005

EC Directive n°2007/19 of 2 April 2007

EC Directive n° 78/142 of 30 January 1978

EC Directive n° 80/766 of 8 July 1980

Information notice of DGCCRF n°2004-64 of 06/05/04

Sample:

Black plate PVC 5 mm

The reproduction of the this report is only authorized in its complete form. It consists of 3 pages.

File J051011 - Document CEMATE/16 - Page 2/3

SAMPLE

Reception date:

06 June 2008

Reference:

Black plate PVC 5 mm resulting from the Range plate PVC

comprising the following products:

White plate 1 mm- White plate 2 mm- White plate 3 mm- White plate 4 mm- White plate 5 mm- White plate 6 mm- White plate 8 mm- White plate 10 mm- White plate 13 mm- White plate 15 mm

Red plate 3 mm Red plate 5 mm Yellow plate 3 mm Yellow plate 5 mm Gray plate 3 mm Gray plate 5 mm Blue plate 3 mm Blue plate 5 mm Green plate 3 mm Green plate 5 mm Black plate 3 mm Black plate 5 mm

2. TEST PROCEDURE

Date of the beginning of the test :24 July 2008

Measurements have been carried out according Directive n° 80/766/EEC of 8 July 1980.

The residual quantity of vinyl chloride are expressed in mg/kg of sample

Measurement n° 1 : < 0.2 Measurement n° 2 : < 0.2 Measurement n° 3 : < 0.2

Continued on next page

3. CONCLUSION

The residual quantity obtained complies with the maximum authorized limit (Qm= 1 mg/kg) as specified in the Directive n°2002/72/EC of 6 August 2002.

Trappes, the 12 September 2008

Test Operator Sandrine HOUEL

Director Centre for Energy, Materials and Packaging

Hervé MARCEL

In charge of the test

Françoise RUIZ

The results mentioned are only applicable to the sample, to the product, or to the material given to the laboratory such as it is defined in the present document.